

# Safety Data Sheet

Revision Date 03.31.2017

Revision: 2

## 1 Identification of the substance/mixture and the company/undertaking

### 1.1 Product identifier

Trade name: **Steel – Fast Fix Armor Plate Polyurethane (A)**

1.2 Application of the substance / the mixture: Polyurethane repair compound

### 1.3 Details of the supplier of the Safety Data Sheet

Manufacturer/Supplier:



Copps Industries, Inc.  
10600 N. Industrial Drive  
Mequon, WI 53092, U.S.A.  
Phone: (262) 238-1700

### 1.4 Emergency telephone number:

ChemTel Inc.  
(800) 255-3924, +1 (813) 248-0585

## 2 Hazards identification

### 2.1 GHS Classification of the substance or mixture

Acute toxicity (Oral): Category 4  
Eye Damage/Irritant Category 2A

### 2.2 GHS Label elements

Hazard pictograms/symbols



Signal word: Warning

### Hazard statements:

H302: Harmful if swallowed.  
H319: Causes serious eye irritation.

### Precautionary statements:

P264 Wash skin thoroughly after handling.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P280 Wear protective gloves.  
P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth.  
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.  
P363 Wash contaminated clothing before reuse.  
P391 Collect spillage.

**Additional information:** May produce an allergic reaction.

### HMIS Rating:

Health: 1  
Flammability: 0  
Physical Hazard: 0

# Safety Data Sheet

Revision Date 03.31.2017

Revision: 2

## 3 Composition/information on ingredients

### 3.2 Mixture

**Description:** Mixture of substances listed below with nonhazardous additions.

Dangerous components:		
CAS: 5285-60-9	4,4'-methylenebis[N-sec-butylaniline]	15-30%
Trade Secret	Aromatic diamine	<5%

In conformity with 29CFR 1910.1200(i) the specific chemical identity may be withheld as Trade Secret, while all health/safety properties and effects are included in the SDS.

## 4 First aid measures

### SECTION 4. FIRST AID MEASURES

**If inhaled :** If breathed in, move person into fresh air. Oxygen or artificial respiration if needed.

In case of bluish discoloration (lips, ear lobes, fingernails), give oxygen as quickly as possible. Obtain medical attention.

**In case of skin contact :** Take off contaminated clothing and shoes immediately. Wash off with warm water and soap. If skin irritation occurs, seek medical advice/attention. Wash contaminated clothing before re-use. Destroy contaminated shoes.

**In case of eye contact :** Rinse thoroughly with plenty of water, also under the eyelids.

If eye irritation persists, consult a specialist.

**If swallowed :** Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water.

Obtain medical attention. Never give anything by mouth to an unconscious person.

**Most important symptoms and effects, both acute and delayed:** No information available

**Notes to physician :** The first aid procedure should be established in consultation with the doctor responsible for industrial medicine

## 5 Firefighting measures

### 5.1 Extinguishing media

**Suitable extinguishing agents:** Water haze or fog, Foam, Fire-extinguishing powder, Carbon dioxide.

**For safety reasons unsuitable extinguishing agents:** Water with full jet, Water spray

**5.2 Special hazards arising from the substance or mixture:** No information available.

### 5.3 Advice for the firefighters

**Protective equipment:** Wear self-contained respiratory protective device. Wear fully protective suit.

**Additional information:** Cool endangered receptacles with water fog or haze. Eliminate all ignition sources if safe to do so.

## 6 Accidental release measures

**6.1 Personal precautions, protective equipment and emergency procedures:** Use respiratory protective device against the effects of fumes/dust/aerosol. Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation. Keep away from ignition sources.

**6.2 Environmental precautions:** Do not flush into surface water or sanitary sewer system. Prevent from spreading (e.g. by damming-in or oil barriers).

**6.3 Methods and material for containment and cleaning up:** Absorb liquid components with liquid-binding material. Send for recovery or disposal in suitable receptacles. Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

## 7 Handling and storage

**7.1 Precautions for safe handling:** Handle in accordance with good industrial hygiene and safety practice.

Handle and open container with care. Protect from moisture. To avoid thermal decomposition, do not overheat.

Use only in area provided with appropriate exhaust ventilation. Avoid inhalation, ingestion and contact with skin and eyes.

Wear suitable protective clothing, gloves and eye/face protection.

Wash thoroughly after handling. Store in cool, dry place in tightly closed receptacles (60-80°F recommended).

**7.2 Conditions for safe storage, including any incompatibilities:** Keep containers tightly closed in a dry, cool and well ventilated place. Keep under nitrogen. Keep away from heat and flame.

**Further information about storage conditions:** Keep container tightly sealed. Store in an area with adequate ventilation.

# Safety Data Sheet

Revision Date 03.31.2017

Revision: 2

## 8 Exposure controls/personal protection

### 8.1 Control parameters

**Ingredients with limit values that require monitoring at the workplace:** The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

**8.2 Engineering controls** Use mechanical ventilation for general area control. Ensure that extracted air cannot be returned to the workplace through the ventilation system. Ensure that eyewash stations and safety showers are close to the workstation location.

### 8.3 Personal protective equipment

**General protective and hygienic measures:** Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols. Avoid contact with the eyes and skin.

**Respiratory protection:** Not required under normal conditions of use. Use respirator when performing operations involving potential exposure to vapour of the product.

**Hand protection:** Protective, impervious gloves. (Neoprene, PVC, Nitrile rubber) The glove material has to be impermeable and resistant to the product / the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

**Eye protection:** Safety glasses with side shields. Contact lenses should not be worn.

**Skin and Body protection:** Protective work clothing. Where potential exposure warrants, rubber or plastic boots and chemically resistant protective suit.

## 9 Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### General Information

#### Appearance

Form:	Paste
Colour:	Gray
Odour:	Pungent
Odour threshold:	No data available
pH:	No data available
Melting point/range:	No data available
Boiling point/range:	>392 °F / >200 °C
Flash point:	>302 °F / >150 °C
Evaporation rate:	No data available
Flammability (solid, gaseous):	Not applicable
Upper/lower flammability or explosive limit:	Not applicable
Vapor pressure:	No data available
Vapor density:	No data available
Relative Density at 20°C:	2.33 g/cm <sup>3</sup>
Solubility in / Miscibility with Water:	Slightly soluble
Partition coefficient (n-octanol/water):	No data available
Auto/Self-ignition temperature:	No data available
Decomposition temperature:	No data available
Viscosity	Paste

## 10 Stability and reactivity

**10.1 Reactivity:** No dangerous reaction known under conditions of normal use.

### 10.2 Chemical stability

**Thermal decomposition / conditions to be avoided:** No decomposition if used and stored according to specifications.

**10.3 Possibility of hazardous reactions:** Hazardous polymerization does not occur.

**10.4 Conditions to avoid:** Exposure to moisture. Heat.

**10.5 Incompatible materials:** Strong acids, bases and oxidizing agents.

**10.6 Hazardous decomposition products:** Carbon monoxide and carbon dioxide. Nitrogen oxides (NOx) Sulphur oxides.

# Safety Data Sheet

Revision Date 03.31.2017

Revision: 2

## 11 Toxicological information

### 11.1 Information on likely routes of exposure:

Inhalation: No data  
Ingestion: No data  
Skin contact: No data  
Eye contact: May cause eye irritation

**11.2 Symptoms related to physical, chemical and toxicological characteristics:** No available data for mixture itself

**11.3 Delayed and immediate effects as well as chronic effects from short and long-term exposure:** No available data for mixture itself.

## 12 Ecological information

### 12.1 Toxicity

**Aquatic toxicity:** No further relevant information available.

**12.2 Persistence and degradability:** No further relevant information available.

**12.3 Bioaccumulative potential:** No further relevant information available.

**12.4 Mobility in soil:** No further relevant information available.

### 12.5 Results of PBT and vPvB assessment:

PBT: Not applicable.

vPvB: Not applicable.

**12.6 Additional ecological information:** None

## 13 Disposal considerations

### 13.1 Waste treatment methods

**Waste from residue/unused product:** This product should not be allowed to enter drains, water courses or the soil.

Dispose of this material in a safe manner and in accordance with federal, state and local regulations

**Contaminated packaging:** Disposal must be made in accordance with official federal, state and local regulations.

## 14 Transport information

### DOT

Not classified as a dangerous good under transport regulations

### IATA

Not classified as a dangerous good under transport regulations

### IMDG

Not classified as a dangerous good under transport regulations

## 15 Regulatory Information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### United States (USA)

#### SARA

##### Section 355 (extremely hazardous substances):

None of the ingredients is listed.

##### Section 313 (Specific toxic chemical listings):

Component(s) above 'de minimus' level: None

##### TSCA (Toxic Substances Control Act):

All the ingredients are listed.

#### Proposition 65 (California):

Chemicals known to cause cancer: None

# Safety Data Sheet

Revision Date 03.31.2017

Revision: 2

## Canada

<b>Canadian Domestic Substances List (DSL):</b>
All ingredients are listed.
<b>Canadian Ingredient Disclosure list (limit 0.1%)</b>
None of the ingredients is listed.
<b>Canadian Ingredient Disclosure list (limit 1%)</b>
None of the ingredients is listed.

**15.2 Chemical Safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### Abbreviation and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienist.

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substance

CAS: Chemical Abstracts Service (division of the American Chemical Society)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

# Safety Data Sheet

Revision Date 03.31.2017

Revision: 2

# Safety Data Sheet

Revision Date 03.31.2017

Revision: 2

## 1 Identification of the substance/mixture and the company/undertaking

### 1.1 Product identifier

Trade name: **Steel – Fast Fix Armor Plate Polyurethane (B)**

1.2 Application of the substance / the mixture: Polyurethane repair compound

### 1.3 Details of the supplier of the Safety Data Sheet

Manufacturer/Supplier:



Copps Industries, Inc.  
10600 N. Industrial Drive  
Mequon, WI 53092  
Phone: (262) 238-1700

### 1.4 Emergency telephone number:

ChemTel Inc.  
(800) 255-3924, +1 (813) 248-0585

## 2 Hazards identification

### 2.1 GHS Classification of the substance or mixture

Acute Tox.	4 (Inhalation - mist)	Acute toxicity
Skin Sens.	1	Skin sensitization
STOT SE	3 (Respiratory system)	Single exposure respiratory system

### 2.2 GHS Label elements

Hazard pictograms/symbols



Signal word: Warning

#### Hazard statements:

H317 May cause an allergic skin reaction.  
H332 Harmful if inhaled.  
H335 May cause respiratory irritation.

#### Precautionary statements:

P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P271 Use only outdoors or in a well-ventilated area.  
P260 Do not breathe dust/gas/mist/vapours.  
P261 Avoid breathing mist.  
P202 Do not handle until all safety precautions have been read and understood.  
P284 [In case of inadequate ventilation] wear respiratory protection.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P264 Wash with plenty of water and soap thoroughly after handling.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P314 Get medical advice/attention if you feel unwell.  
P303 + P352 IF ON SKIN (or hair): Wash with plenty of soap and water.  
P333 + P311 If skin irritation or rash occurs: Call a POISON CENTER or doctor/physician.  
P362 + P364 Take off contaminated clothing and wash before reuse.  
P332 + P313 If skin irritation occurs: Get medical advice/attention.  
P337 + P311 If eye irritation persists: Call a POISON CENTER or doctor/physician.  
P403 + P233 Store in a well-ventilated place. Keep container tightly closed.  
P501 Dispose of contents/container to hazardous or special waste collection point.

**Additional information:** No specific dangers known, if the regulations/notes for storage and handling are considered.

# Safety Data Sheet

Revision Date 03.31.2017

Revision: 2

## HMS Rating:

Health: 2  
Flammability: 1  
Physical Hazard: 0

## 3 Composition/information on ingredients

### 3.2 Mixture

**Description:** Mixture of substances listed below with potential nonhazardous additions.

#### Dangerous components:

CAS: 28182-81-2	Homopolymer of Hexamethylene Diisocyanate	75-100%
-----------------	---	---------

## 4 First aid measures

### 4.1 Description of first aid measures

**General advice:** Remove contaminated clothing.

**If inhaled:** Remove the affected individual into fresh air and keep the person calm. Assist in breathing if necessary. Immediate medical attention required.

**If on skin:** Wash affected areas thoroughly with soap and water. If irritation develops, seek medical attention.

**If in eyes:** In case of contact with the eyes, rinse immediately for at least 15 minutes with plenty of water. Immediate medical attention required.

**If swallowed:** Rinse mouth and then drink plenty of water. Do not induce vomiting. Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions. Immediate medical attention required.

**4.2 Most important symptoms and effects, both acute and delayed:** Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 1., Eye irritation, skin irritation, allergic symptoms

### 4.3 Indication of any immediate medical attention and special treatment needed:

Note to physician Antidote: Specific antidotes or neutralizers to isocyanates do not exist.

## 5 Firefighting measures

### 5.1 Extinguishing media

**Suitable extinguishing agents:** water spray, dry powder, carbon dioxide, foam

**5.2 Specific hazards arising from the substance or mixture:** Hazards during fire-fighting: nitrous gases, fumes/smoke, isocyanate, vapour

### 5.3 Advice for the firefighters

**Protective equipment:** Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

**Additional information:** Keep containers cool by spraying with water if exposed to fire. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

## 6 Accidental release measures

**6.1 Personal precautions, protective equipment and emergency procedures:** Clear area. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment

**6.2 Environmental precautions:** Do not discharge into drains/surface waters/groundwater.

**6.3 Methods and material for containment and cleaning up:** For small amounts: Absorb isocyanate with suitable absorbent material (see § 40 CFR, sections 260, 264 and 265 for further information). Shovel into open container. Do not make container pressure tight. Move container to a well-ventilated area (outside). Spill area can be decontaminated with the following recommended decontamination solution: Mixture of 90 % water, 8 % concentrated ammonia, 2 % detergent. Add at a 10 to 1 ratio. Allow to stand for at least 48 hours to allow escape of evolved carbon dioxide.

## 7 Handling and storage

**7.1 Precautions for safe handling:** Provide suitable exhaust ventilation at the processing machines. Ensure thorough ventilation of stores and work areas. Avoid aerosol formation. When handling heated product, vapours of the product should be ventilated, and respiratory protection used. Wear respiratory protection when spraying. Danger of bursting when sealed gastight. Protect against moisture. If bulging of drum occurs, transfer to well ventilated area, puncture to relieve pressure,



# Safety Data Sheet

Revision Date 03.31.2017

Revision: 2

open vent and let stand for 48 hours before resealing. Store in cool, dry place in tightly closed receptacles (60-80°F recommended).

**7.2 Conditions for safe storage, including any incompatibilities:** Keep away from water. Segregate from foods and animal feeds. Segregate from acids and bases. Segregate from bases.

**Further Information about storage conditions:** Formation of CO<sub>2</sub> and build up of pressure possible. Keep container tightly closed and in a well-ventilated place. Outage of containers should be filled with dry inert gas at atmospheric pressure to avoid reaction with moisture.

## 8 Exposure controls/personal protection

### 8.1 Control parameters

#### Exposure Limits (Components):

#### Homopolymer of Hexamethylene Diisocyanate

##### Exposure Limit

Time weighted average 0.5 mg/m<sup>3</sup>

##### Exposure Limit

Short Term Exposure Limit (STEL): 1.0 mg/m<sup>3</sup> (15-min)

**8.2 Engineering controls** Provide readily accessible eye wash stations and safety showers. Provide ventilation adequate to ensure concentrations are minimized.

### 8.3 Personal protective equipment

**General protective and hygienic measures:** Wear protective clothing as necessary to prevent contact. Eye wash fountains and safety showers must be easily accessible. Observe the appropriate PEL or TLV value. Wash soiled clothing immediately. Contaminated equipment or clothing should be cleaned after each use or disposed of.

**Respiratory protection:** When workers are facing concentrations above the occupational exposure limits they must use appropriate certified respirators. When atmospheric levels may exceed the occupational exposure limit (PEL or TLV) NIOSH-certified air-purifying respirators equipped with an organic vapor sorbent and particulate filter can be used as long as appropriate precautions and change out schedules are in place. For emergency or non-routine, high exposure situations, including confined space entry, use a NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

**Hand protection:** Chemical resistant protective gloves should be worn to prevent all skin contact., Suitable materials may include, chloroprene rubber (Neoprene), nitrile rubber (Buna N), chlorinated polyethylene, polyvinylchloride (Pylox), butyl rubber, depending upon conditions of use.

**Eye protection:** Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

**Skin and Body protection:** Cover as much of the exposed skin as possible to prevent all skin contact. Suitable materials may include, saran-coated material, depending upon conditions of use.

## 9 Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### General Information

##### Appearance

Form:	Soft Paste
Colour:	White
Odour:	Slight
Odour threshold:	No data available
pH:	No data available
Melting point/range:	< 0 °C
Boiling point/range:	> 200 °C
Flash point:	> 200 °C
Evaporation rate:	No data available
Flammability (solid, gaseous):	Not applicable
Upper/lower flammability or explosive limit:	Not applicable
Vapor pressure:	No data available
Vapor density:	No data available
Relative Density at 20°C:	1.05 g/cm <sup>3</sup>
Solubility in / Miscibility with Water:	Reacts with water

# Safety Data Sheet

Revision Date 03.31.2017

Revision: 2

Partition coefficient (n-octanol/water):	No data available
Auto/Self-ignition temperature:	No data available
Decomposition temperature:	No data available
Viscosity	Soft Paste

## 10 Stability and reactivity

**10.1 Reactivity** Corrosion to metals: No corrosive effect on metal.

### 10.2 Chemical stability

**Thermal decomposition / conditions to be avoided:** No decomposition if used and stored according to specifications.

**10.3 Possibility of hazardous reactions:** Reacts with water, with formation of carbon dioxide. Risk of bursting. Reacts with alcohols. Reacts with acids. Reacts with alkalies. Reacts with amines. Risk of exothermic reaction. Risk of polymerization. Contact with certain rubbers and plastics can cause brittleness of the substance/product with subsequent loss in strength.

**10.4 Conditions to avoid:** Avoid moisture.

**10.5 Incompatible materials:** Acids, amines, alcohols, water, Alkalines, strong bases, Substances/products that react with isocyanates.

**10.6 Hazardous decomposition products:** Hazardous decomposition products: carbon monoxide, carbon dioxide, nitrogen oxide, hydrogen cyanide, nitrogen oxides, aromatic isocyanates, gases/vapours

## 11 Toxicological information

**11.1 Information on likely routes of exposure:** Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

**11.2 Symptoms related to physical, chemical and toxicological characteristics:** The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Eye irritation, skin irritation, allergic symptoms.

### Medical conditions aggravated by overexposure

The isocyanate component is a respiratory sensitizer. It may cause allergic reaction leading to asthma-like spasms of the bronchial tubes and difficulty in breathing. Medical supervision of all employees who handle or come into contact with isocyanates is recommended. Contact may aggravate pulmonary disorders. Persons with history of respiratory disease or hypersensitivity should not be exposed to this product. Preemployment and periodic medical examinations with respiratory function tests (FEV, FVC as a minimum) are suggested. Persons with asthmatic conditions, chronic bronchitis, other chronic respiratory diseases, recurrent eczema or pulmonary sensitization should be excluded from working with isocyanates. Once a person is diagnosed as having pulmonary sensitization (allergic asthma) to isocyanates, further exposure is not recommended.

**11.3 Delayed and immediate effects as well as chronic effects from short and long-term exposure:** Assessment of repeated dose toxicity: The substance may cause damage to the olfactory epithelium after repeated inhalation. The substance may cause damage to the lung after repeated inhalation. These effects are not relevant to humans at occupational levels of exposure.

### 11.4 Numerical measures of toxicity:

#### Toxicity Data for: Homopolymer of Hexamethylene Diisocyanate

##### **Toxicity Note:**

Data is based on the product, including residual monomer.

##### **Acute Oral Toxicity**

LD50: > 2500 mg/kg (rat, female) (OECD Test Guideline 423)

##### **Acute Inhalation Toxicity**

LC50: 0.39 - 0.543 mg/l, 4 h, dust/mist (rat, male/female) (OECD Test Guideline 403)

The test atmosphere generated in the animal study is not representative of workplace environments, how the substance is placed on the market, and how it can reasonably be expected to be used.

## 12 Ecological information

### 12.1 Aquatic toxicity:

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations. Based on long-term (chronic) toxicity study data, the product is very likely not harmful to aquatic organisms.

# Safety Data Sheet

Revision Date 03.31.2017

Revision: 2

The product may hydrolyse. The test result may be partially due to degradation products. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

**12.2 Persistence and degradability:** Poorly biodegradable. The product is unstable in water. The elimination data also refer to products of hydrolysis.

**12.3 Bioaccumulative potential:** No data available on the product itself.

**12.4 Mobility in soil:** No data available.

**12.5 Other adverse effects:** No further relevant information available

## 13 Disposal considerations

### 13.1 Waste treatment methods

**Waste from residue/unused product:** This product should not be allowed to enter drains, water courses or the soil. Dispose of this material in a safe manner and in accordance with federal, state and local regulations

**Contaminated packaging:** Disposal must be made in accordance with official federal, state and local regulations.

## 14 Transport information

### DOT

Not classified as a dangerous good under transport regulations

### IATA

Not classified as a dangerous good under transport regulations

### IMDG

Not classified as a dangerous good under transport regulations

## 15 Regulatory Information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.

#### United States Federal Regulations

#### US. Toxic Substances Control Act:

Listed on the TSCA Inventory.

No substances are subject to TSCA 12(b) export notification requirements.

#### US. EPA CERCLA Hazardous Substances (40 CFR 302) Components:

None

#### SARA Section 311/312 Hazard Categories:

Acute Health Hazard

#### US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 302 Extremely Hazardous Substance (40 CFR 355, Appendix A) Components:

None

#### US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 313 Toxic Chemicals (40 CFR 372.65) - Supplier Notification Required Components:

None

#### US. EPA Resource Conservation and Recovery Act (RCRA) Composite List of Hazardous Wastes and Appendix VIII Hazardous Constituents (40 CFR 261):

Under RCRA, it is the responsibility of the person who generates a solid waste, as defined in 40 CFR 261.2, to determine if that waste is a hazardous waste.

# Safety Data Sheet

Revision Date 03.31.2017

Revision: 2

## State Right-To-Know Information

The following chemicals are specifically listed by individual states; other product specific health and safety data in other sections of the SDS may also be applicable for state requirements. For details on your regulatory requirements you should contact the Federal Regulations

<u>Massachusetts, New Jersey or Pennsylvania Right to Know Substance Lists: Weight percent</u>	<u>Components</u>	<u>CAS-No.</u>
<u>&gt;=95%</u>	<u>Homopolymer of Hexamethylene Diisocyanate</u>	<u>28182-81-2</u>
<u>&lt;=0.15%</u>	<u>Hexamethylene-1,6-Diisocyanate</u>	<u>822-06-0</u>

<u>New Jersey Environmental Hazardous Substances List and/or New Jersey RTK Special Hazardous Substances Lists: Weight percent</u>	<u>Components</u>	<u>CAS-No.</u>
<u>&lt;=0.15%</u>	<u>Hexamethylene-1,6-Diisocyanate</u>	<u>822-06-0</u>

## California Prop. 65:

To the best of our knowledge, this product does not contain any of the listed chemicals, which the state of California has found to cause cancer, birth defects or other reproductive harm.

## **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### **Abbreviation and acronyms:**

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labeling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienist.

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substance

CAS: Chemical Abstracts Service (division of the American Chemical Society)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)